

MediaGateway

Cable Set

November 2020

CONTENT

1	GENERAL INFORMATION	3
1.1	Functionality and Features of the MediaGateway	3
1.1.1	Features.....	3
1.1.2	General Information.....	4
1.1.3	LINKS	4
1.1.4	General operating and safety strategy of Technica Engineering's Products.....	5
1.1.5	General design rules for the power supply of Technica Engineering's products5	
1.2	Warranty and Safety Information	6
1.3	RoHS Certificate of Compliance	7
1.4	Cable Set from MediaGateway.....	8
2	LIST OF FIGURES.....	10
3	CONTACT.....	11
4	DECLARATION OF CONFORMITY	12

c

1 GENERAL INFORMATION

1.1 Functionality and Features of the MediaGateway



Figure 1-1: MediaGateway

The **Technica Engineering MediaGateway** allows users to connect and loop through up to 12 100BASE-T1-based devices on the physical layer and to establish virtual point-to-point connections, thus enabling filter and control of data streams (routing, mirroring, forwarding).

It can work as Converter between 100BASE-T1 and Standard Ethernet.

Extra functions as CAN-Gateway and FlexRay Logging are available.

1.1.1 Features

- 12 Ports 100BASE-T1 Ethernet
- Ports Gbit Ethernet (10/100/1000) BASET Full duplex) for Logging data output and configuration
- 1 Port Gigabit Ethernet SFP module socket
- Automotive Tyco MQS Connector for 100BASE-T1 and power supply
- Easy configuration via webserver and via data telegram
- Import and export of configuration

- ⌚ Wake up functionality
- ⌚ CAN/LIN/FR interfaces (requires customer specific software)
- ⌚ Power output for attached devices (VBAT max. 1,2 Ampere in total [Fused])
- ⌚ Possibility to reset to default settings by pushbutton
- ⌚ Robust steel case


1.1.2 General Information

Voltage requirement:	7 to 16 Volt DC (nominal 12 Volt DC)
Power consumption:	7-12 Watt
Size:	195 x 143 x 33 mm
Weight:	0,77kg
International Protection:	IP 2 0
Operating temperature:	-40°Celsius to +80°Celsius

StartUp Time

The StartUp time is valid for HW-Variants 2.1a and higher, and Software 3.7 and higher. If there is information needed about older variants of the MediaGateway, please contact support@technica-engineering.de.

PowerUp and Processor Boot Time:	65 ms
Configuration Time depending on complexity	47-55 ms
100BASE-T1 LinkUp Time	20-130 ms

 The RJ-45 GB-Ports need about 3-4 seconds linkup time due to Autonegotiation.

1.1.3 LINKS

The User can download the latest firmware and documentation for the MediaGateway here:

<https://technica-engineering.de/produkt/mediagateway/>

1.1.4 General operating and safety strategy of Technica Engineering's Products

Technica Engineering's products are designed for operation in automotive systems and for supply voltages of nominal 12 V or 24 V. The applicable limit values adhere to the standard norms for 12 V or 24 V automotive onboard power systems correspondingly and can be found in the mentioned norms.

Should Technica Engineering's products be operated in voltage ranges beyond those specified in the norms, which represents a breach of the conditions of operation, then this will void the product warranty and Technica Engineering will assume no liability whatsoever of the results and/or consequences thereof.

This is especially valid whenever the voltage level reaches or exceeds the limits of the low-voltage directive. In this case, damage to the devices cannot be excluded. Due to the manufacturing characteristics of the devices, there is no imminent fire hazard from the device itself, if the devices are being operated in an environment according to the conditions of use. A secondary fire hazard cannot be excluded, should those conditions not be met. A protection against overvoltage cannot be provided in such a breach of the conditions of use.





1.1.5 General design rules for the power supply of Technica Engineering's products





The power supply circuit of Technica Engineering's products are equipped with self-protection components. This automatic function protects the devices against excessive temperature and too high supply-voltage by switching the device off. This automatic switch-off function is independent of any software function.

The root-cause of excessive temperature in the power supply circuit can eventually be due to a too high environment temperature or due to an internal failure of the device. In both cases, the automatic switch-off function will switch-off the power supply from the device to avoid further damage.

The protection against too high supply-voltage protects the device even in case of an internal failure of the Technica Engineering device.

1.2 Warranty and Safety Information

	<p>Before operating the device, read this manual thoroughly and retain it for your reference.</p> <p>The latest documentation for the Media Gateway can be downloaded here: https://technica-engineering.de/produkt/mediagateway/</p>
	<p>Use the device only as described in this manual.</p> <p>Use only in dry conditions.</p> <p>Do not insert any foreign object in the slots/openings of the housing.</p> <p>Do not apply power to a damaged device.</p> <p>The device may only be used by specialists.</p>
	<p>Do not open the device. Otherwise warranty will be lost.</p>
	<p>This product is intended for use in automobiles or automotive-like environments. An automotive-like environment includes test setups or test benches in the office, laboratory and workshop areas. In the test setups the same environmental conditions apply as in vehicle electrical systems. Technica Engineering products are not intended to be used as standard IT equipment. The test systems and products from Technica Engineering are designed as customer and application-specific test modules that are only used by specialists for development and test facilities.</p> <p>When integrating the modules in a vehicle or test set-up, the user must ensure appropriate ventilation or air convection.</p> <p>Technica Engineering products must not be considered as a safety element out of context when using safety-critical systems and must be included in the safety assessment when used. The development class in a safety system must be taken into account with standard QM referred to ISO26262.</p>






	 The device can get hot. Do not cover the device due to fire danger. Do not place the device near to highly flammable materials due to fire danger. Do not use the device above the specified operating temperature. The operating temperature is the ambient temperature of the installation space.
	This symbol is only valid in the European Union. If you wish to discard this product, please contact your local authorities or dealer and ask for the correct method of disposal. Technica Engineering GmbH is registered as manufacturer of the brand "Technica Engineering" and the device type "Small devices of Information- and Telecommunications- technology for exclusive use in non-private Households". WEEE reg. No. DE 20776859
	Please refer to CHAPTER 4 for the EU Declaration of Conformity in accordance with Directive 2014/30/EU.

1.3 RoHS Certificate of Compliance

Technica Engineering’s MediaGateway complies with RoHS (Restriction of Hazardous Substances Directive) Certificate of Compliance.

1.4 Cable Set from MediaGateway

The cable set from MediaGateway include:

Product Description	Photo	Quantity
Tyco Cover 18 pol.Blue K000762 (PRO_1105)		3
MQS Cover Housing 18 pol. Black (PRO_1056)		1
Tyco Housing for female 18 pol K000763 (PRO_1057)		4
Black banana plug adapter 4mm (PRO_1054)		1 unit of each piece
Red banana plug adapter 4 mm (PRO_1055)		
Gold Connector Banana Plugs 4mm (PRO_1053)		2

1m BR-twist a pair of cable
(PRO_1062)



3

1 m Twist-Pair rot/schwarz
0,35mm (PRO_1051)




1

1m Ethernet Network cable
(PRO_1153)



1

MQS Nano Socket Contact
0,35mm
(PRO_1060)



14 pieces
(2 units of
the photo)

2 LIST OF FIGURES

Figure 1-1: MediaGateway 3

3 CONTACT

If you have any questions regarding this product, please feel free to contact us:

Technica Engineering GmbH
Leopoldstr. 236
80807 München
Germany

Technical support:

support@technica-engineering.de

General information:

Info@technica-engineering.de

Most current user manuals and product information:

<https://technica-engineering.de/en/>

4 DECLARATION OF CONFORMITY

Български

С настоящото Technica Engineering GmbH декларира, че продуктът Модул за улавяне MediaGateway (TE-1100), е в съответствие с Директива 2014/30/ЕС. Цялостният текст на ЕС декларацията за съответствие може да се намери на следния интернет адрес:

<https://technica-engineering.de/wp-content/uploads/2018/06/mediagateway-1100-eu-declaration-of-conformity.pdf>

Čeština

Tímto Technica Engineering GmbH prohlašuje, že produkt MediaGateway (TE-1100), je v souladu se směrnicí 2014/30/EU. Úplné znění EU prohlášení o shodě je k dispozici na této internetové adrese:

<https://technica-engineering.de/wp-content/uploads/2018/06/mediagateway-1100-eu-declaration-of-conformity.pdf>

Dansk

Hermed erklærer Technica Engineering GmbH, at produktet MediaGateway (TE-1100), er i overensstemmelse med Direktiv 2014/30/EU. EU-overensstemmelseserklæringens fulde tekst kan findes på følgende internetadresse:

<https://technica-engineering.de/wp-content/uploads/2018/06/mediagateway-1100-eu-declaration-of-conformity.pdf>

Deutsch

Hiermit erklärt Technica Engineering GmbH, dass das Produkt MediaGateway (TE-1100) die Richtlinie 2014/30/EU entspricht. Der vollständige Text der EU-Konformitätserklärung ist unter der folgenden Internetadresse verfügbar:

<https://technica-engineering.de/wp-content/uploads/2018/06/mediagateway-1100-eu-declaration-of-conformity.pdf>

Eesti

Käesolevaga deklareerib Technica Engineering GmbH, et toode hõivamismoodul MediaGateway (TE-1100), vastab direktiivi 2014/30/EL nõuetele. ELi

vastavusdeklaratsiooni tielik tekst on kttesaadav järgmisel internetiaadressil:

<https://technica-engineering.de/wp-content/uploads/2018/06/mediagateway-1100-eu-declaration-of-conformity.pdf>

English

Hereby, Technica Engineering GmbH declares that the product MediaGateway (TE-1100), is in compliance with Directive 2014/30/EU. The full text of the EU declaration of conformity is available at the following internet address:

<https://technica-engineering.de/wp-content/uploads/2018/06/mediagateway-1100-eu-declaration-of-conformity.pdf>

Español

Por la presente, Technica Engineering GmbH declara que el producto MediaGateway (TE-1100), es conforme con la Directiva 2014/30/UE. El texto completo de la declaración UE de conformidad está disponible en la página web siguiente:

<https://technica-engineering.de/wp-content/uploads/2018/06/mediagateway-1100-eu-declaration-of-conformity.pdf>

Ελληνικά

Με την παρούσα ο/η Technica Engineering GmbH, ότι το προϊόν MediaGateway (TE-1100), πληροί την οδηγία 2014/30/ΕΕ. Το πλήρες κείμενο της δήλωσης συμμόρφωσης ΕΕ διατίθεται στην ακόλουθη ιστοσελίδα στο διαδίκτυο:

<https://technica-engineering.de/wp-content/uploads/2018/06/mediagateway-1100-eu-declaration-of-conformity.pdf>

Français

Le soussigné, Technica Engineering GmbH, déclare que le produit MediaGateway (TE-1100), est conforme la directive 2014/30/UE. Le texte complet de la déclaration UE de conformité est disponible l'adresse internet suivante:

<https://technica-engineering.de/wp-content/uploads/2018/06/mediagateway-1100-eu-declaration-of-conformity.pdf>

Hrvatski

Technica Engineering GmbH ovime izjavljuje da je proizvod MediaGateway (TE-1100) u skladu s Direktivom 2014/30/EU.

Cjeloviti tekst EU izjave o sukladnosti dostupan je na sljedećoj internetskoj adresi:

<https://technica-engineering.de/wp-content/uploads/2018/06/mediagateway-1100-eu-declaration-of-conformity.pdf>

Italiano

Il fabbricante, Technica Engineering GmbH, dichiara che il prodotto MediaGateway (TE-1100), conforme alla direttiva 2014/30/UE. Il testo completo della dichiarazione di conformità UE disponibile al seguente indirizzo Internet:

<https://technica-engineering.de/wp-content/uploads/2018/06/mediagateway-1100-eu-declaration-of-conformity.pdf>

Latviešu

Ar šo Technica Engineering GmbH deklarē, ka produkts MediaGateway (TE-1100), atbilst Direktīvai 2014/30/ES. Pilns ES atbilstības deklarācijas teksts ir pieejams šādā interneta vietnē:

<https://technica-engineering.de/wp-content/uploads/2018/06/mediagateway-1100-eu-declaration-of-conformity.pdf>

Lietuvių

Aš, Technica Engineering GmbH, patvirtinu, kad produktas sugavimo modulis MediaGateway (TE-1100), atitinka Direktyvą 2014/30/ES. Visas ES atitikties deklaracijos tekstas prieinamas šiuo internet adresu:

<https://technica-engineering.de/wp-content/uploads/2018/06/mediagateway-1100-eu-declaration-of-conformity.pdf>

Magyar

Technica Engineering GmbH igazolja, hogy a termék MediaGateway (TE-1100) a 2014/30/EU irányelvnek. Az EUMegfelelőségi nyilatkozat teljes szövege elérhető a következő internetes címen:

<https://technica-engineering.de/wp-content/uploads/2018/06/mediagateway-1100-eu-declaration-of-conformity.pdf>

Malti

B'dan, Technica Engineering GmbH, niddikjara li l-prodott MediaGateway (TE-1100), huwa konformi madDirettiva 2014/30/UE. It-test kollu tad-dikjarazzjoni ta' konformit ta-UE huwa disponibbli f'dan l-indirizz ta'Internet li ġej:

<https://technica-engineering.de/wp-content/uploads/2018/06/mediagateway-1100-eu-declaration-of-conformity.pdf>

Nederlands

Hierbij verklaar ik, Technica Engineering GmbH, dat het MediaGateway (TE-1100) product voldoet aan richtlijn 2014/30/EU. De volledige tekst van de EUconformiteitsverklaring kan worden geraadpleegd op het volgende internetadres:

<https://technica-engineering.de/wp-content/uploads/2018/06/mediagateway-1100-eu-declaration-of-conformity.pdf>

Polski

Technica Engineering GmbH niniejszym oświadcza, że produkt MediaGateway (TE-1100), jest zgodny z dyrektywą 2014/30/UE. Pełny tekst deklaracji zgodności I UE jest dostępny pod następującym adresem internetowym:

<https://technica-engineering.de/produkt/mediagateway/>

Português

O(a) abaixo assinado(a) Technica Engineering GmbH declara que o produto MediaGateway (TE-1100), está em conformidade com a Diretiva 2014/30/UE. O texto integral da declaração de conformidade está disponível no seguinte endereço de Internet:

<https://technica-engineering.de/produkt/mediagateway/>

Română

Prin prezenta Technica Engineering GmbH declară ca produsul MediaGateway (TE-1100), este în conformitate cu Directiva 2014/30/UE. Textul integral al declarației UE de conformitate este disponibil la următoarea adresă internet:

<https://technica-engineering.de/produkt/mediagateway/>

Slovensko

Technica Engineering GmbH potrjuje, da je izdelek MediaGateway (TE-1100), skladen z irektivo 2014/30/EU. Celotno besedilo izjave EU o skladnosti je na voljo na naslednjem spletnem naslovu:

<https://technica-engineering.de/produkt/mediagateway/>

Slovensky

Technica Engineering GmbH týmto vyhlasuje, že produkt MediaGateway (TE-1100), je v slade so smernicou 2014/30/EÚ. Úplné EÚ

vyhlásenie o zhode je k dispozícii na tejto internetovej adrese:

<https://technica-engineering.de/produkt/mediagateway/>